

Application No. 10/667,026
Amendment dated December 20, 2005
Reply to Office Action of October 4, 2005

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

CLAIMS:

Please amend claims 1, 10, 11, 18, 23, 33, 34, and 44, as follows:

1. (Currently Amended) A method for marine navigation, comprising:
receiving one or more preselected conditions from a user, the preselected conditions being selected from the group of land, water depth, rock(s), sandbars, shelves, tide condition, tidal data, wind conditions, weather conditions, ice, underwater obstacles, and type of water bottom;
identifying a potential waypoint; and
performing a marine route calculation algorithm to analyze a course between a first location and the potential waypoint in view of the preselected conditions.
2. (Original) The method of claim 1, wherein performing the marine route calculation algorithm includes analyzing cartographic data that include preselected conditions between the first location and the potential waypoint with a preference for avoiding preselected conditions.

Application No. 10/667,026
Amendment dated December 20, 2005
Reply to Office Action of October 4, 2005

3. (Original) The method of claim 2, wherein performing the marine route calculation algorithm further includes re-routing the course to avoid the preselected conditions when the marine route calculation algorithm identifies one or more preselected conditions between the first location and the potential waypoint.

4. (Original) The method of claim 3, wherein re-routing the course calculated further includes identifying one or more non-user waypoints between the first location and the potential waypoint.

5. (Original) The method of claim 2, further including determining the first location on the course based on a signal from a global positioning system (GPS); and analyzing cartographic data for a predetermined area around the first location for preselected conditions.

6. (Original) The method of claim 5, further including providing an alert signal when the analyzed cartographic data for the predetermined area around the first location includes preselected conditions.

Application No. 10/667,026
Amendment dated December 20, 2005
Reply to Office Action of October 4, 2005

7. (Original) The method of claim 2, further including providing an alert signal when the analyzed cartographic data between the first location and the potential waypoint includes preselected conditions.

8. (Original) The method of claim 7, wherein providing the alert signal includes emitting an audio alert.

9. (Original) The method of claim 7, wherein providing the alert signal includes displaying a visual alert.

10. (Currently Amended) The method of claim 1, ~~the further including receiving~~ preselected conditions ~~selected from the group of land, water depth, rock(s), sandbars, shelves, tide condition, tidal data, wind conditions,~~ including a weather condition[[s]], ice, ~~above water obstacles, underwater obstacles, type of water bottom, and prohibited areas.~~

Application No. 10/667,026
Amendment dated December 20, 2005
Reply to Office Action of October 4, 2005

11. (Currently Amended) A method for marine navigation, comprising:
- receiving one or more preselected conditions from a user, the preselected conditions being selected from the group of land, water depth, rock(s), sandbars, shelves, tide condition, tidal data, wind conditions, weather conditions, ice, underwater obstacles, and type of water bottom;
- identifying a potential waypoint;
- analyzing cartographic data between a first location and the potential waypoint for the preselected conditions; and
- providing an alert signal when cartographic data between the first location and the potential waypoint indicate the preselected conditions.
12. (Original) The method of claim 11, wherein performing the marine route calculation algorithm further includes re-routing the course to avoid the preselected conditions when the marine route calculation algorithm identifies one or more preselected conditions between the first location and the potential waypoint.
13. (Original) The method of claim 12, wherein re-routing the course further includes identifying one or more non-user waypoints between the first location and the potential waypoint.

Application No. 10/667,026
Amendment dated December 20, 2005
Reply to Office Action of October 4, 2005

14. (Original) The method of claim 11, further including providing an alert signal when the analyzed cartographic data between the first location and the potential waypoint includes preselected conditions.

15. (Original) The method of claim 11, further including determining the first location on the course based on a signal from a global positioning system (GPS); and analyzing cartographic data for a predetermined area around the first location for preselected conditions.

16. (Original) The method of claim 15, further including providing an alert signal when the analyzed cartographic data for the predetermined area around the first location includes preselected conditions.

17. (Original) The method of claim 11, wherein analyzing cartographic data further comprises acquiring cartographic data from a global positioning system (GPS).

18. (Currently Amended) The method of claim 11, ~~the further including receiving preselected conditions selected from the group of land, including a water depth, rock(s), sandbars, shelves, tide condition, tidal data, wind conditions, weather conditions, ice, above water obstacles, underwater obstacles, type of water bottom, and prohibited areas.~~

Application No. 10/667,026
Amendment dated December 20, 2005
Reply to Office Action of October 4, 2005

19. (Previously Presented) A method for marine navigation, comprising:
- receiving one or more preselected conditions from a user;
 - receiving a user defined graphical filter area from the user;
 - identifying the user defined graphical filter area on a display;
 - analyzing cartographic data only within the user defined graphical filter area for the preselected conditions; and
 - providing an alert signal when cartographic data within the user defined graphical filter area indicate the preselected conditions.
20. (Original) The method of claim 19, wherein identifying the user defined graphical filter area includes repositioning the user defined graphical filter area.
21. (Original) The method of claim 19, wherein analyzing cartographic data further comprises acquiring cartographic data from a global positioning system (GPS).
22. (Original) The method of claim 19, further including receiving preselected conditions selected from the group of land, water depth, rock(s), sandbars, shelves, tide condition, tidal data, wind conditions, weather conditions, ice, above-water obstacles, underwater obstacles, type of water bottom, and prohibited areas.

Application No. 10/667,026
Amendment dated December 20, 2005
Reply to Office Action of October 4, 2005

23. (Currently Amended) A computer readable medium having a set of computer readable instructions, the set of computer readable instructions comprising instructions for: receiving one or more preselected conditions from a user, the preselected conditions being selected from the group of land, water depth, rock(s), sandbars, shelves, tide condition, tidal data, wind conditions, weather conditions, ice, underwater obstacles, and type of water bottom; identifying a potential waypoint upon a first event; and performing a marine route calculation algorithm to analyze a course between a first location and the potential waypoint in view of the preselected conditions.

24. (Original) The computer readable medium of claim 23, wherein performing the marine route calculation algorithm includes analyzing cartographic data between the first location and the potential waypoint to avoid preselected conditions.

25. (Original) The computer readable medium of claim 24, wherein performing the marine route calculation algorithm further includes re-routing the course to avoid the preselected conditions when the marine route calculation algorithm identifies one or more preselected conditions between the first location and the potential waypoint.

Application No. 10/667,026
Amendment dated December 20, 2005
Reply to Office Action of October 4, 2005

26. (Original) The computer readable medium of claim 25, wherein re-routing the course further includes identifying one or more non-user waypoints between the first location and the potential waypoint.

27. (Original) The computer readable medium of claim 23, further including determining the first location on the course based on a signal from a global positioning system (GPS); and analyzing cartographic data for a predetermined area around the first location for preselected conditions.

28. (Original) The computer readable medium of claim 27, further including providing an alert signal when the analyzed cartographic data for the predetermined area around the first location includes preselected conditions.

29. (Original) The computer readable medium of claim 23, wherein analyzing cartographic data further comprises acquiring cartographic data from a global positioning system (GPS).

30. (Original) The computer readable medium of claim 23, further including providing an alert signal when the analyzed cartographic data between the first location and the potential waypoint includes preselected conditions.

Application No. 10/667,026
Amendment dated December 20, 2005
Reply to Office Action of October 4, 2005

31. (Original) The computer readable medium of claim 30, wherein providing the alert signal includes emitting a signal for an audio alert.

32. (Original) The computer readable medium of claim 30, wherein providing the alert signal includes displaying a visual alert.

33. (Currently Amended) The computer readable medium of claim 23, further including receiving the preselected conditions selected from the group of land, water depth, rock(s), sandbars, shelves, tide condition, tidal data, wind conditions, weather conditions, ice, above-water obstacles, including an underwater obstacle[[s]], type of water bottom, and prohibited areas.

Application No. 10/667,026
Amendment dated December 20, 2005
Reply to Office Action of October 4, 2005

34. (Currently Amended) An electronic marine navigation device, comprising:
- a processor;
 - a user interface operatively coupled to the processor, wherein the user interface receives one or more preselected conditions from a user, the preselected conditions being selected from the group of land, water depth, rock(s), sandbars, shelves, tide condition, tidal data, wind conditions, weather conditions, ice, underwater obstacles, and type of water bottom;
 - a location input operatively coupled to the processor, wherein the location input receives a first location and a potential waypoint separate from the first location; and
 - a memory operatively coupled to the processor and the location input, the memory having cartographic data including data related to the preselected conditions, wherein the processor operates on a marine route calculation algorithm to analyze a course between the first location and the potential waypoint in view of the preselected conditions of the cartographic data.
35. (Original) The electronic marine navigation device of claim 34, wherein the processor operates on the route calculating algorithm to analyze cartographic data to identify and avoid preselected conditions in the course between the first location and the potential waypoint.

Application No. 10/667,026
Amendment dated December 20, 2005
Reply to Office Action of October 4, 2005

36. (Original) The electronic marine navigation device of claim 35, wherein the processor operates on the route calculating algorithm to re-route the course to avoid the preselected conditions when the processor operating on the marine route calculation algorithm identifies one or more preselected conditions between the first location and the potential waypoint.

37. (Original) The electronic marine navigation device of claim 36, wherein the processor operates on the route calculating algorithm to identify one or more non-user waypoints between the first location and the potential waypoint.

38. (Original) The electronic marine navigation device of claim 35, further including a receiver for a global positioning system (GPS) operatively coupled to the processor, wherein the processor determines the first location on the course based on a signal received from the GPS, and analyzes cartographic data for a predetermined area around the first location for preselected conditions.

39. (Original) The electronic marine navigation device of claim 38, wherein the processor provides an alert signal when the analyzed cartographic data for the predetermined area around the first location includes preselected conditions.

Application No. 10/667,026
Amendment dated December 20, 2005
Reply to Office Action of October 4, 2005

40. (Original) The electronic marine navigation device of claim 35, wherein the processor provides an alert signal when the analyzed cartographic data between the first location and the potential waypoint includes preselected conditions.

41. (Original) The electronic marine navigation device of claim 34, wherein the location input receives a user defined graphical filter area, and wherein the processor operates on the marine route calculation algorithm to analyze cartographic data within the defined graphical filter area for preselected conditions and wherein the processor provides an alert signal when the analyzed cartographic data for the user defined graphical filter area includes preselected conditions.

42. (Previously Presented) The method of claim 1, wherein both the first location and the potential waypoint are independent of a current location of a device implementing the method.

43. (Previously Presented) The method of claim 1, wherein at least a portion of the course is unrelated to a current heading of a device implementing the method.

Application No. 10/667,026
Amendment dated December 20, 2005
Reply to Office Action of October 4, 2005

44. (Currently Amended) A method for marine navigation, comprising:
- identifying a potential waypoint; and
- performing a marine route calculation algorithm to analyze a course between a first location and the potential waypoint in view of preselected conditions received from a user and selected from the group of land, water depth, rock(s), sandbars, shelves, wind conditions, weather conditions, ice, ~~above-water obstacles~~, underwater obstacles, and type of water bottom, ~~and prohibited areas~~.